

CLASS 1

Building Product Information Sheet

Nikles Shower Tapware

Building Product Information Requirements (BPIR)

Version: 1

Date Created: December 2023

Product Name	Nikles Shower Tapware
Product Lines	Slide shower and shower systems
Product Identifier(s)	Nikles Branded (MX ranges)

PRODUCT DESCRIPTION

- Nikles showers include slide showers and shower systems
- Finishes include chrome plated, black powder-coating, and PVD colours.
- Slide showers are a combination of material including DR brass and ABS plastic.
- Designed for mains pressure only.
- Supplies hot and cold water for showering.
- WELS rated for water efficiency in accordance to AS/NZS6400.

SCOPE OF USE

- Nikles showers are designed for domestic and light commercial applications.
- Nikles showers are suitable for mains pressure applications only.
- Care must be taken with chemicals and abrasives that may cause damage to the finish of the product.
- Must be installed by a registered plumber and in accordance with AS/NZS3500 Plumbing Regulations.

CONDITIONS OF USE

- Nikles showers must be installed by a registered plumber in accordance with the installation instructions provided with the product and to AS/NZS3500 plumbing regulations.
- As per AS/NZS3500 Plumbing Regulations - "Inline filters and PLV (Pressure Limiting Valves) should be installed at each premises to protect the life of valves and cartridges."
- Cleaning and maintenance shall be done in accordance with the manufacturer's warranty/cleaning instructions.
- Certain areas (PH level) of water can affect the performance or appearance of product.

RELEVANT BUILDING CODE CLAUSES

B2 Durability — B2.3.1 (c)

F2 Hazardous building materials — F2.3.1

G1 Personal Hygiene — G1.3.2

G12 Water Supplies — G12.3.2, G12.3.5



CONTRIBUTIONS TO COMPLIANCE

- B2.3.1 (a) (ii) and (iii): Nikles showers have a durability of at least 10 years when not exposed to harsh abrasives or cleaning chemicals.
- F2.3.1: Nikles showers are safe to handle when installed as per the supplied installation instructions. There are no requirements for this product to comply with Acceptable Solution F2/AS1, First Edition Amendment 3, 2017.
- G1/AS1: Nikles showers are required to be connected to a potable drinking water system and hot water reticulation system as per AS/NZS3500 Plumbing Standards and should be installed in accordance with the manufacturers installation instructions and by a registered plumber.
- G12/AS1: Water supply to showers should be provided in accordance to AS/NZS3500 in relation to ensuring the supply does not cause backflow or contamination into the potable water system. All work should be carried out by a registered plumber. Product is manufactured to AS3781 (Tapware Standard) and Watermark AS1172.1. Complies and tested to WELS AS/NZS6400 for water efficiency.
- H1.3.3: Hot water pipes supplying water to mixers should be properly lagged in accordance with AS/NZS3500. As per AS/NZS3500 all shower systems should be protected by (TLV) temperature limiting valves, set to a max temp of 55deg.

SUPPORTING DOCUMENTATION

The following additional documentation supports the above statements:

Title (Type)	Version	URL
Warranty Period	1	https://www.metrix.co.nz/warranty

CONTACT DETAILS

Manufacture location	Overseas (Designed in Switzerland, manufactured in China in company-owned facilities)
Legal and Trading name of manufacturer	Nikles Group
Manufacturer website	https://www.nikles.com/
Legal and trading name of importer	Metrix Imports Ltd
Importer address for service	Metrix Building, 65 Parnell Rise Auckland 1052
Importer website	www.metrix.co.nz
Importer NZBN	9429033312378
Importer email	Info@metrix.co.nz
Importer phone number	09 379 7399

WARNINGS AND BANS

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

Yes No