



CLASS 1

Building Product Information Sheet

Dornbracht Shower Tapware

Building Product Information Requirements (BPIR)

Version: 1

Date Created: December 2023

| Product Name | Dornbracht Shower Tapware | |
|--------------------------|---|--|
| Product Lines | Dornbracht showers include slide showers, handshowers, fixed shower heads suitable for wall or ceiling mounting | |
| Product Identifier(s) | Dornbracht branded | |

PRODUCT DESCRIPTION

- Dornbracht showers include slide showers, rain showers (ceiling or wall mounted) and handshowers
- Finishes vary by model and include chrome plated and PVD colours.
- Slide showers are a combination of material including brass and ABS plastic.
- Wall/Ceiling mounted showers are manufactured from brass.
- Designed for mains pressure only.
- Supplies hot and cold water for showering.
- WELS rated for water efficiency in accordance to AS/NZS6400.

SCOPE OF USE

- Dornbracht showers are designed for domestic and commercial applications.
- Dornbracht showers are suitable for mains pressure applications only.
- Care must be taken with chemicals and abrasives that may cause damage to the finish of the product.
- Must be installed by a registered plumber and in accordance with AS/NZS3500 Plumbing Regulations.

CONDITIONS OF USE

- Dornbracht showers must be installed by a registered plumber in accordance with the installation instructions
 provided with the product and to AS/NZS3500 plumbing regulations.
- As per AS/NZS3500 Plumbing Regulations "Inline filters and PLV (Pressure Limiting Valves) should be installed at each premises to protect the life of valves and cartridges."
- Cleaning and maintenance shall be done in accordance with the manufacturer's warranty/cleaning instructions.
- The PH level of the water within certain geographical locations or water source types can affect the performance or appearance of product.







RELEVANT BUILDING CODE CLAUSES

B2 Durability — B2.3.1 (b)
F2 Hazardous building materials — F2.3.1
G10 Piped services — G10.3.1
G12 Water Supplies — G12.3.2, G12.3.7
H1 Energy efficiency — H1.3.3

CONTRIBUTIONS TO COMPLIANCE

- B2.3.1 (a) (ii) and (iii): Dornbracht showers have a durability of at least 10 years when not exposed to harsh abrasives or cleaning chemicals.
- F2.3.1: Dornbracht showers are safe to handle when installed as per the supplied installation instructions. There are no requirements for this product to comply with Acceptable Solution F2/AS1, First Edition Amendment 3, 2017.
- G1/AS1: Dornbracht showers are required to be connected to a potable drinking water system and hot water reticulation system as per AS/NZS3500 Plumbing Standards and should be installed in accordance to the manufacturers installation instructions and by a registered plumber.
- G12/AS1: Water supply to showers should be provided in accordance to AS/NZS3500 in relation to ensuring the supply
 does not cause backflow or contamination into the potable water system. All work should be carried out by a
 registered plumber.Complies to WELS AS/NZS6400 for water efficiency.
- H1.3.3: Hot water pipes supplying water to mixers should be properly lagged in accordance with AS/NZS3500. As per AS/NZS3500 all shower systems should be protected by (TLV) temperature limiting valves, set to a max temp of 55deg.

SUPPORTING DOCUMENTATION

The following additional documentation supports the above statements:

| Title (Type) | Version | URL |
|-----------------|---------|-----------------------------------|
| Warranty Period | 1 | https://www.metrix.co.nz/warranty |

CONTACT DETAILS

| Manufacture location | Overseas (Germany) |
|--|---|
| Legal and Trading name of manufacturer | Dornbracht AG & Co. KG |
| Manufacturer website | https://www.dornbracht.com/en |
| Legal and trading name of importer | Metrix Imports Ltd |
| Importer address for service | Metrix Building, 65 Parnell Rise Auckland 1052 |
| Importer website | www.metrix.co.nz |
| Importer NZBN | 9429033312378 |
| Importer email | Info@metrix.co.nz |
| Importer phone number | 09 379 7399 |

WARNINGS AND BANS

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

☐ Yes ☑ No

