

# Building Product Information Sheet

## Almar Shower Tapware (Stainless Steel)

Building Product Information Requirements (BPIR)

Version: 2

Date Created: December 2023

Date Modified: June 2024

<b>Product Name</b>	Almar Shower Tapware (Stainless Steel)
<b>Product Lines</b>	Slide Shower, Shower System and Fixed Shower Heads
<b>Product Identifier(s)</b>	Almar branded

### PRODUCT DESCRIPTION

- Almar stainless steel showers include slide showers, shower systems and fixed shower heads.
- Finishes include brushed stainless steel and PVD colours.
- Slide showers are a combination of material including stainless steel and ABS plastic.
- Designed for mains pressure only.
- Supplies hot and cold water for showering.
- WELS rated for water efficiency in accordance to AS/NZS6400.

### SCOPE OF USE

- Almar showers are designed for domestic and light commercial applications.
- Almar showers are suitable for mains pressure applications only.
- Care must be taken with chemicals and abrasives that may cause damage to the finish of the product.
- Must be installed by a registered plumber and in accordance with AS/NZS3500.2:2021 Plumbing Regulations.

### CONDITIONS OF USE

- Almar showers must be installed by a registered plumber in accordance with the installation instructions provided with the product and to AS/NZS3500.2:2021 plumbing regulations.
- As per AS/NZS3500.2:2021 Plumbing Regulations - "Inline filters and PLV (Pressure Limiting Valves) should be installed at each premises to protect the life of valves and cartridges."
- Cleaning and maintenance shall be done in accordance with the manufacturer's Warranty/Cleaning instructions.
- The pH of water in certain areas can affect the performance or appearance of product.

### **RELEVANT BUILDING CODE CLAUSES**

B2 Durability — B2.3.1 (c)

F2 Hazardous building materials — F2.3.1

G1 Personal Hygiene — G1.3.2

G12 Water Supplies — G12.3.2, G12.3.5

### **CONTRIBUTIONS TO COMPLIANCE**

- B2.3.1 (a) (ii) and (iii): Almar showers have a durability of at least 10 years when not exposed to harsh abrasives or cleaning chemicals.
- F2.3.1: Almar showers are safe to handle when installed as per the supplied installation instructions. There are no requirements for this product to comply with Acceptable Solution F2/AS1, First Edition Amendment 3, 2017.
- G1/AS1: Almar showers are required to be connected to a potable drinking water system and hot water reticulation system as per AS/NZS3500.2:2021 Plumbing Standards and should be installed in accordance with the manufacturers Installation instructions and by a registered plumber.
- G12/AS1: Water supply to showers should be provided in accordance to AS/NZS3500.2:2021 in relation to ensuring the supply does not cause backflow or contamination into the potable water system. All work should be carried out by a registered plumber. Product is manufactured to AS3781 (Tapware Standard) and Watermark AS1172.1. Complies and tested to WELS AS/NZS6400 for water efficiency.
- H1.3.3: Hot water pipes supplying water to mixers should be properly lagged in accordance with AS/NZS3500.2:2021. As per AS/NZS3500.2:2021 all shower systems should be protected by (TLV) temperature limiting valves, set to a max temp of 55deg.

### **SUPPORTING DOCUMENTATION**

The following additional documentation supports the above statements:

Title (Type)	Version	URL
Warranty Period	1	<a href="https://www.metrix.co.nz/warranty">https://www.metrix.co.nz/warranty</a>

### **CONTACT DETAILS**

Manufacture location	Overseas (Italy)
Legal and Trading name of manufacturer	Almar S.R.L
Manufacturer website	<a href="https://almarmadeinitaly.it/en">https://almarmadeinitaly.it/en</a>
Legal and trading name of importer	Metrix Imports Ltd
Importer address for service	Metrix Building, 65 Parnell Rise Auckland 1052
Importer website	<a href="http://www.metrix.co.nz">www.metrix.co.nz</a>
Importer NZBN	9429033312378
Importer email	<a href="mailto:Info@metrix.co.nz">Info@metrix.co.nz</a>
Importer phone number	09 379 7399

### **WARNINGS AND BANS**

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

Yes  No