

CLASS 1

# **Building Product Information Sheet**

# **Dornbracht Shower Tapware**

**Building Product Information Requirements (BPIR)** 

Version: 2

Date Created: December 2023 Date Modified: June 2024

Product Name	Dornbracht Shower Tapware
Product Lines	Dornbracht showers include slide showers, handshowers, fixed shower heads suitable for wall or ceiling mounting
Product Identifier(s)	Dornbracht branded

#### **PRODUCT DESCRIPTION**

- Dornbracht showers include slide showers, rain showers (ceiling or wall mounted) and handshowers
- Finishes vary by model and include chrome plated and PVD colours.
- Slide showers are a combination of material including brass and ABS plastic.
- Wall/Ceiling mounted showers are manufactured from brass.
- Designed for mains pressure only.
- Supplies hot and cold water for showering.
- WELS rated for water efficiency in accordance to AS/NZS6400.

## **SCOPE OF USE**

- Dornbracht showers are designed for domestic and commercial applications.
- Dornbracht showers are suitable for mains pressure applications only.
- Care must be taken with chemicals and abrasives that may cause damage to the finish of the product.
- Must be installed by a registered plumber and in accordance with AS/NZS3500.2:2021 Plumbing Regulations.

#### **CONDITIONS OF USE**

- Dornbracht showers must be installed by a registered plumber in accordance with the installation instructions provided with the product and to AS/NZS3500.2:2021 plumbing regulations.
- As per AS/NZS3500.2:2021 Plumbing Regulations "Inline filters and PLV (Pressure Limiting Valves) should be installed
  at each premises to protect the life of valves and cartridges."
- Cleaning and maintenance shall be done in accordance with the manufacturer's warranty/cleaning instructions.
- The PH level of the water within certain geographical locations or water source types can affect the performance or appearance of product.



#### **RELEVANT BUILDING CODE CLAUSES**

B2 Durability — B2.3.1 (b)
F2 Hazardous building materials — F2.3.1
G10 Piped services — G10.3.1
G12 Water Supplies — G12.3.2, G12.3.7
H1 Energy efficiency — H1.3.3

### **CONTRIBUTIONS TO COMPLIANCE**

- B2.3.1 (a) (ii) and (iii): Dornbracht showers have a durability of at least 10 years when not exposed to harsh abrasives or cleaning chemicals.
- F2.3.1: Dornbracht showers are safe to handle when installed as per the supplied installation instructions. There are no requirements for this product to comply with Acceptable Solution F2/AS1, First Edition Amendment 3, 2017.
- G1/AS1: Dornbracht showers are required to be connected to a potable drinking water system and hot water reticulation system as per AS/NZS3500.2:2021 Plumbing Standards and should be installed in accordance to the manufacturers installation instructions and by a registered plumber.
- G12/AS1: Water supply to showers should be provided in accordance to AS/NZS3500.2:2021 in relation to ensuring the supply does not cause backflow or contamination into the potable water system. All work should be carried out by a registered plumber. Complies to WELS AS/NZS6400 for water efficiency.
- H1.3.3: Hot water pipes supplying water to mixers should be properly lagged in accordance with AS/NZS3500.2:2021.
   As per AS/NZS3500.2:2021 all shower systems should be protected by (TLV) temperature limiting valves, set to a max temp of 55deg.

#### **SUPPORTING DOCUMENTATION**

The following additional documentation supports the above statements:

Title (Type)	Version	URL
Warranty Period	1	https://www.metrix.co.nz/warranty

#### **CONTACT DETAILS**

Manufacture location	Overseas (Germany)
Legal and Trading name of manufacturer	Dornbracht AG & Co. KG
Manufacturer website	https://www.dornbracht.com/en
Legal and trading name of importer	Metrix Imports Ltd
Importer address for service	Metrix Building, 65 Parnell Rise Auckland 1052
Importer website	www.metrix.co.nz
Importer NZBN	9429033312378
Importer email	Info@metrix.co.nz
Importer phone number	09 379 7399

#### **WARNINGS AND BANS**

Is the building product/building product line subject to warning or ban under section 26 of	the
Building Act 2004?	

☐ Yes ☑ No